

HOME LAUNDRY, DISHWASHERS & REFRIGERATION 2011/12









Taking care of all your family's needs now and for the future

Hoover is still the name you can trust for quality products that are modern, reliable, practical and easy to use. Our washing machines, washer dryers, tumble dryers, dishwashers & refrigeration have all been designed with the very latest technology to help make your busy life easier. We've drawn on our vast experience to add a whole new range of intelligent and technologically advanced features that meet actual practical needs, not just for today but for the future.

Hoover's continuous development programme has resulted in appliances that use less electricity and less water, thereby reducing their carbon footprint and safeguarding the environment for future generations.

120461_1 COVER-INTRO 2011_1 11/05/2011 12:11 Page 3



CONTENTS

CARING FOR FUTURE GENERATIONS	
ENERGY SAVING APPLIANCES	7
DYNAMIC IOKG STEAM WASHING MACHINE FEATURES	
DYNAMIC 9KG & 8KG, OPTIMA 7KG & 5KG FEATURES	12
WASHER DRYERS/TUMBLE DRYERS & DISHWASHERS FEATURES	14
DYNAMIC REFRIGERATION FEATURES	16
WASHING MACHINES	16
WASHER DRYERS	24
TUMBLE DRYERS	26
DISHWASHERS	30
FRIDGE FREEZERS	34
LARDERS & FREEZERS	39
SPECIFICATIONS	40
GUARANTEE	43





HOOVER. THE ICONIC ORIGINAL.

A lot has happened in the last 100 years and life today is very different to how it was when we created the world's first upright vacuum cleaner.

In fact, the increasing demands of busier, more complex lives has meant that change is something we've had to not just get used to but to anticipate and make the most of.


The original 1908 cleaner has been joined by generation upon generation of new products and innovations all designed to meet the continuing needs of people, their homes and, latterly, the planet. So as we look forward to our next hundred years and the needs of future generations, we're pretty sure that change will be one of the few unchanging things.

This is why Hoover created 'Generation Future'.

A lasting stamp of assurance that we're dedicated to creating and providing today what customers will demand as the standard of tomorrow. From floorcare to kitchen appliances, we're constantly thinking ahead to ensure we're able to meet the needs of our many and varied customers with clever, affordable products that are simple and easy to use.



HOME LAUNDRY . REFRIGERATION . BUILT-IN APPLIANCES . FLOORCARE



Global Warming and Your Carbon Footprint

To supply us with the energy we need to heat and light our homes, run our appliances and power our cars we are burning an ever-increasing amount of fossil fuels such as coal, gas and oil. This process creates Carbon Dioxide, which is leading to global climate change.

Carbon Dioxide is a naturally occurring gas crucial to life, but also the main 'greenhouse gas' contributing to Global Warming. Its build up causes rising temperatures, and will have a profound effect on wildlife and people worldwide.

Households produce 25% of our national Carbon Dioxide emissions. This is becoming a concern for many individuals, who are all seeking ways to reduce the number of carbon emissions they personally produce through their energy consumption. A growing number of people are starting to use the Carbon Footprint Calculator to calculate the amount of carbon emissions they create from their current energy consumption. This can be found at www.carbonfootprint.com

Changing your household appliances to energy efficient products can help reduce your personal carbon footprint. At Hoover we have made several advancements in the last ten years to improve the energy efficiency of our entire white goods range, including Dynamic Washing Machines, Dynamic Dishwashers and Hoover Dynamic Fridge Freezers.

"Carbon Footprint is a measure of the impact human activities have on the environment in terms of the amount of greenhouse gases produced, measured in units of carbon dioxide. Hoover has made considerable improvements to its entire range of white goods over the last ten years, significantly reducing the carbon emissions of their appliances through maximising loading capacity and reducing electricity and water consumption" John Buckley, Carbon Footprint."

For further information on how to reduce your personal carbon footprint or making your appliance carbon neutral, visit www.carbonfootprint.com





Energy Savings Trust

The Energy Savings Trust (EST) recommends all of Hoover's energy efficient products on its website www.energysavingtrust.org.uk and even gives handy tips on how to use your appliances more efficiently:

Using a 40°C wash cycle rather than 60°C means you use a third less electricity. Reduce the wash to a 30°C cycle and the amount of electricity saved (not to mention money) will be even higher. Modern washing powders and detergents work just as effectively at lower temperatures so unless you have very dirty washing, bear this in mind.

If everyone in the UK upgraded their old cold appliances to an energy saving recommended product, energy wastage would be cut by over two-thirds. Enough CO2 would be saved to fill 24 million double-decker buses and the electricity saved would be equivalent to the annual output of three 700MW power stations.



WEEE Recycle Your Old Appliance

Electrical and electronic equipment (EEE) plays an ever-increasing role in our daily lives. Our kitchen appliances, mobile phones and computers offer us many benefits during their working lives but when this equipment is thrown away it affects the environment. Waste electrical and electronic equipment (WEEE) is one of the fastest growing waste streams in the UK and the EU.

The WEEE Directive aims to minimise the amount WEEE householders throw out with their general rubbish. By keeping WEEE separate from other waste it can be treated, the hazardous substances can be removed and a large amount of waste can be recycled rather than sent to a landfill.



Time to Change Time to Change

The Time to Change website aims to demonstrate the significant benefits of replacing outdated domestic appliances with new energy efficient models; providing information on individual household savings, within the broader context of the national environmental impact.

Visit: www.t2c.org.uk for further information







DYNAMIC

More load capacity

Families today lead busier lives than ever and demand harder working washing machines. And no machines work harder than the new Hoover Dynamic 10. It can handle any size wash up to a 10kg load, so you spend less time washing and more time getting on with life. What's more, the supersized drum amazingly fits within an 85x60x64.5cm dimension cabinet - now that's really intelligent.











BOASTS EVEN MORE INTELLIGENT USE OF SPACE

More efficient

The Dynamic 10 achieves an outstanding 'A+++' energy efficiency rating, reducing your energy and water consumption without compromising wash performance. What's more, the consumption of energy and water is adjusted to reflect the load quantity, thus avoiding wastage.







*Savings based on 10 year old Hoover washing machine consumption and equivalent kg of clothes per year.

More performance

The top-of-the-range Dynamic 10+ Steam incorporates a sophisticated Steam Wash function for added care of your laundry.

Steam technology has a number of added benefits compared to traditional washing, including a 20 minute refresh cycle to eliminate adours from clothes and a short steam cycle to relax fabrics and enable easier ironing.

The intensive steam wash function achieves a 60°C wash performance while using cool wash temperatures of less than 40°C!

The Hygiene+ cycle also eliminates 99.9% of bacteria in your wash load too.







More intelligence

The intelligent KG Mode sensor weighs the laundry and adjusts the cycle time, water and electricity consumption to suit the size of the load. This gives you the optimum consumption even if you are only washing one shirt.

The Rapid 14 cycle is perfect when you only have a few items to wash, completing a full wash, rinse and spin in only 14 minutes!

The Dynamic 10 range promises the guietest Hoover wash ever thanks to our inverter wash technology, an advanced brushless motor that is far quieter than conventional motors.







More control

The easy to use In Touch controls put you in total control of your wash cycle, whether it's adjusting the wash length using Time Manager Display, or altering a programme's temperature and spin speed. In Touch controls also give you a minute-by-minute countdown during the cycle and allows up to 23 hours delay start.

The Dynamic 10+ Steam goes one step further by incorporating an LCD display, with a host of informative wash options on the display.







More technology

The drum also features our unique 3D Dynamic Wash System that delivers the ultimate 'A' rated wash performance for a large load. It achieves this through a combination of three special features:







More laundry

The Hoover Dynamic 10 boasts our largest ever capacity in a standard sized machine, so it may surprise you just how much laundry you can fit in.

















Latest technology to make your life easier

At Hoover we don't develop technology simply for technology's sake. It has to perform a practical job and help make our washing machines intelligent, reliable, uncomplicated and easy to use. That's why the Dynamic and Optima ranges are packed full of convenient features.

More intelligence

Incorporated into all Dynamic and Optima front loading washing machines and washer dryers, the Intelligent Wash System has sophisticated electronic software that acts as an Intelligent Sensor to constantly monitor and adjust the wash process, resulting in optimum performance throughout the cycle. The system ensures that:

- a constant temperature is maintained for better cleaning
- the spin process removes more water for quicker drying
- the drum revolves at exactly the right speed for better distribution
- the water level matches the type of fabric and size of load
- detergent is directed to the heart of the wash for better utilisation and less waste

More care

The Sensitive Care option offers a deeper than normal wash level to provide gentler washing for especially delicate fabrics, while detergent is removed thoroughly with five extra rinses. Perfect for people with delicate skin, this option can be selected with all cotton and synthetic cycles.

The **Stain Blaster** option, available on all cotton cycles, tackles stubborn stains by maintaining wash temperatures throughout the programme and adjusting the spin speed of the drum during critical stages of the wash and rinse cycles.

Now Hoover give you even more care with four cycles for special materials:

- Providing a longer wash at a low temperature, the Sports Cycle is designed to
 deal with more expensive fabrics that require gentleness but are also liable to be
 dirty or stained following rigorous exercise
- Duvet Cycle has been specially designed to wash bulky items which require more
 water and a specific drum spinning action to wash items effectively
- Woollens Cycle is dedicated to garments carrying the Woolmark symbol
- Silk Cycle, at a low 30°C and with no final spin, is ideal for 'hand wash only' items

More control & convenience

Available on Dynamic machines, the advanced **Time Manager Display** enables you to choose three options of wash time (short, medium or long) on selected programmes. It also gives you a **Countdown Display** with an at-a-glance indication of the time remaining on any wash cycle so you can manage your time more effectively, while with **Delay Start** you can delay the start of a wash either to take advantage of off-peak electricity or so the cycle ends as you arrive home.

Temperature Select and Spin Select controls allow you to choose lower temperatures and spin speeds on selected programmes. For reduced creasing and easier ironing, selected Dynamic and Optima models also have a new Fast Iron option that holds clothes in water after the final rinse until you are ready to select the final spin.

More time for you



To save time if you're in a hurry selected machines feature:

- 14 Minute Wash Ideal when you only have a few items to wash in a hurry.
- Daily 29 and 44 minute programmes at 40°C two very clever quick washes for smaller and larger loads respectively at the most popular wash temperature.
- 59 minute 'A' wash an unbeatable 'A' rated wash performance in under an hour.



The largest chains of big capacitles

Dynamic 9 kg & 8 kg

The Dynamic Range can effortlessly handle an impressive 9kg wash - that's 80% more capacity than traditional 5kg washers

Big wash, but compact size: the Dynamic 8 manages an impressive 8kg wash (60% more capacity) now fits into a smaller 85x60x54cm space, giving you more space for the plumbed in pipework behind the washer

Optima 7 kg & 6 kg

The new Optima 7kg and 6kg washing machine range features a unique teardrop door design and innovative features which ensure design and functionality are effortlessly entwined for maximum performance.

Fast Spin Speeds

Fast spin speeds extract more water and hence reduce drying times. That's why Hoover washers make life easier by offering speeds from a fast 1200rpm to a really fast 1600rpm

Triple A Rated*

Dynamic and Optima washing machines are A+AA rated, offering the ultimate in energy efficiency, wash and spin performance

*Except 1200rpm spiri speed mode's which are A+AB rated

Higher, Wider Porthole

Dynamic and Optima washers have an extra large 350mm porthole positioned much higher in the cabinet than traditional washing machines. This not only looks more striking but also makes loading and unloading much easier, especially for bulky items





NEW SPACE SAVER

WASHING MACHINE 40 CM DEPTH







BIG ON THE INSIDE, SMALL ON THE OUTSIDE

Space Saving

The range of Optima Space Saver washing machines and washer dryers benefit from Hoover's Advanced Drum Technology which facilitates a narrower depth design than a standard machine. Easily accommodating up to a 7kg wash load, they are the perfect choice for small kitchens and utility rooms where space may be limited.

More Flexibility

The Hoover range of Space Saver washing machines and washer dryers can be ocated in even the most awkward places, with washers at just 40cm deep and washer dryers at just 44cm they can fit into places that other appliances can't

More Capacity

Space Saver washing machines are small on the outside but big on the inside—the Optima OPH\$712DF has 40% more capacity at 7kg than a traditional 5kg machine. The WDYN\$654D can wash 6kg and dry 5kg and at 44cm deep is the slimmest appliance on the market.

More Efficient

All Optima washing machines are A+ rated for energy efficiency



Bigger Capacity Washer Dryers

Dynamic 9 kg + 6 kg



The Dynamic 9kg washer dryer offers a massive 9kg wash load and a 6kg dry load for an even more practical large capacity laundry solution.

All Hoover washer dryers incorporate three levels of Auto Sensor Drving that protect your clothes and save electricity by taking the guesswork out of setting the drying time. You simply select the degree of dryness you require and the dryer switches off automatically when it is reached



Also available:

Dynamic **8****+**5**** Vision 6 +5 +5 kg



3 levels of Automatic Sensor Drying.







AquaVision Tumble Dryers

Dynamic 9 tkg + 8 kg









Also available:

VisionHD 9" VisionHD 8" With the latest technology and stylish design, the Hoover Dynamic condenser tumble dryer range gives you an extra large 9kg and 8kg capacity. Steam is condensed into water and stored in the large AquaVision container for emptying



More contro

Advanced programmes for real needs





More efficient

The excellent 'B' energy performance of the Dynamic sensor dryers saves electricity and carbon emissions







NEW HOOVER DYNAMIC TUMBLE DRYERS

More Accessible

The sometimes awkward to carry water condenser drawer has now been replaced by a new patented AquaVision water reservoir that has been cleverly integrated into the door of the tumble dryer.

More Convenient

An easy grip handle makes the AquaVision reservoir unit easy to remove for emptying. It's also self balancing so avoids spillages.

More Efficient

AquaVision provides a clear at-a-glance view of the water level so that you will always know when it needs emptying, no more mid cycle interruptions because the reservoir drawer is full. The condensed water is limescale free so the unit maintains its transparency even after frequent use.

More Environmentally Friendly

Water conservation is important for the environment and savings can also help family finances. The AquaVision reservoir is capable of collecting up to 5 litres of water which equates to 800 litres per year and is equivalent to 10 or more showers or 17 more washloads

Ergonomically designed, AquaVision has a convenient handle making it easy to remove for emptying and it can be carried as easily as a small bag.



Easily accessible



Ergonomic handle



Convenient to use



Simple to replace



Compact design
A clever visual reminder
Convenient to use





The collected condensed water is limescale free so it can be used for lots of jobs around the home including ironing and washing floors.



NEW DYNAMIC DISHWASHER

More Flexibility

The Hoover 3D dishwasher features a combination of 3 baskets and 15 place settings and provides additional valuable loading space in the top basket

The extra upper basket is perfect for small coffee cups, saucers, side plates and cooking utensils leaving the other two baskets free for larger plates, cups, glasses, pots and pans.

More Capacity

The third basket increases the looding capacity by 10% compared to a standard 15 place setting dishwasher and by 35% compared to a 12 place setting dishwasher



More Efficient

The most spacious, efficient dishwasher on the market Optimum wash performance with minimal consumption:



-10% ENERGY CONSUMPTION ENERGY COMPARED TO A CLASS PRODUCTS



UNIQUE HOOVER DYNAMIC REFRIGERATION



INTELLIGENT, INNOVATIVE STYLISH

More style

Historian Dynamin has a mylicky introductional congression and at 45% despendent with the following despendent interpretation and prolonged food preservation times:



More flexibility

as of space. Book foreign to adjustable silients, went in the second silients and the second second





--



More convenient




Excellent Choice of Frost Free Fridge Freezers






60cm

Today the need to store fresh and frozen food at the optimum conditions is more important than ever. At Hoover, we've put our experience to work and developed a range of refrigeration products that combine styl ship design with innovative features that aim to give you max mum flexibility and make your life a whole lot easier.







WASHING MACHINES

recover man a surige of matrixing macrimum to see that recovered of terminal whether they are large of amount. Each range has a selection of advanced features and utilises the latest technologies to alviation they perfect colution for applications faundally requirements.

10kg Load

any size wash up to an enormous 10kg load

9kg Load

#071 more capacity must be administrative from the Dynamic R with the mage and common problem of busy families, the Dynamic R with the mage and common problem you to de more washing to fewer locals thereby five ingress you will prove the method group kitchen they are the machine for its interest and a machine the mac

8kg Load

ber traditional Sky making marking by the Sky kitchen space.

7kg Load

effortlessly entwined for maximum performance.

6kg Load

The transfer incrementative wife or

3D Dynamic Wash System

morethy recomprise Cymum. Cybling a second consequence of paddles and consequence of the laundry limit is dimensioned any providing the limit overline dynamics that any unated to the consequence of the laundry limit of

HydroDome

to their from minging in the sides of the design during the mask syste. This his move the toundry in the sides of the design during the mask syste in more street, and the translational mask systems. The mask system of the district various profiles the simple of the district. The mask shape of the HydroDome profiles the simple of the district wash systems.

HydroPressure

Smaller and more numerous hales in the new drum achieve a higher water pressure for an all round better cleaning performance, and also enable improved water extraction during the spin cycle.

KG Mode

to the special property of the state of the special property of the special party of the spec

Intelligent Wash System

- and the party of t
- I be the second second
- The Land Control of the Control of t
- and less waste





WALRES WALLINES

Intelligent Sensor

The applicated present converse incorporated in the managem from System edjusts the water lavel and programmic length throughout the cycle according to be a substitute of the fall in each washing the substitute of the

Steam

proud promotogy and a personal action and a sumification of the action of the production of the sum of the sum

LCD Display

management in the second of the property of the second of

Time Manager Display

palent the length of salected week programmer (short) medium and length of a length of salected week programmer (short) medium and length of salected week programmer (short) medium and length of salected and salected as a length of salected and salected as a length of salected and salected as a length of salected as

Countdown Display

manage your time more effectively

Delay Start

principalities atom you are addy and maintain from man, periodiling you a period from your principalities and the section of the along the description of the section of th

Temperature Select

Continuity of the second secon

Spin Select

depending on your washing needs

Higher, Wider Porthole

the part was a few forms to provide the party

Dynamic and Spirms resources and the large Softman pointed pointered printers in the softman and printers in the softman and t

A+++ Energy

30% saving compared to A energy rated appliances

Sensitive Care

--

ateria processor de la completa del completa de la completa del completa de la completa del la completa de la completa del la co

-

Stain Blaster

Trans transport to the second second

Fast Iron

Indicate in the second of the

Hygiene+ Cycle

to the Steam wash function

14min Rapid Wash

Ideal for washing a few items in a hurry

Daily 29min and 44min at 40°C

\$ (1) and by 1 mile half if Fe had been well as seen 1.

59min 'A' Wash

** rated wash performance in under an hour

'AA' at 40°C

wash temperature

Sports Cycle

Paris and the property of the paris of the p

Woollens Cycle

المعرافية والمساورين والمساورين والمسترات

Silk Cycle

and no final spin

Duvet Cycle

spinning action to wash items effectively

Inverter Wash Technology

ar quieter than conventional motors

^{*} Feetures are available on selected products. See product seecification for full detail





WASHING MACHINES

YNAMIC IOKG STEAM DSTIG!46F



• 10kg tood

Steam Function

• 1400rpm Spin Speed

Super Silent

Intensive Steam Wash

KG Mode

LCD Display

Time Manager Option

• Rapid 14 Minute Wash

Variable Temperature

Variable Spin

• 23hrs Delay Start

Sensitive Care

Duvet Cycle

Hygienic Cycle

Night and Day

• 85 x 60 x 64 5cm

• White

. A+++AA

DYNAMIC DYNIO145PG • Without Steam

DYNAMIC DSTID166PG

• 1600 Spin Spin Speed

DYNAMIC 10KG DYN101440PG



• 10kg Lood

• 1400rpm Spin Speed

Super Sitent

• KG Mode

Time Manager Display

• Rapid 14 Minute Wash

- Majora 1-1 minora mas

Variable Temperature

Variable Spin

23hrs Delay Start

Sensitive Care

Duvet Cycle

Hygienic Cycle

Night and Day

• 85 x 60 x 64 5cm

White

• A+++AA

DYNAMIC 9KG DYN9164DPE



• 9kg lood

• 1600rpm Spin Speed

Super Silent (only 1600rpm)

• KG Mode

Time Manager Display

Rapid 14 Minute Wash

....

3D Dynamic Wash System

Variable Temperature

Variable Spin

· 23hrs Delay Start

Intelligent Wash System

Sens/live Care

Stoin Braster

· Eosy Iron

• 85 x 60 x 60cm

White

* A+++AA



(nat 1200 pm)

DYN9144DE

1400rpm Spin Speed

DYNAMIC DYN9124DE

• 1200rpm Spin Speed

• A+++AB

DYNAMIC 8KG DYN8164D/1



Bkg Load

• 1600rpm Spin Speed

KG Mode

• 14min Rapid Wash

· Time Monager Display

• 3D Dynamic Wash System

Vonobie Temperature

Vanable Spin

• 23hrs Delay Start

2010 2001 001

Intelligent Wosh System

Sensitive Care

Stain Blaster

Easy ron

• 85 x 60 x 54cm

White

44.11.1

• A++AA



DYNAMIC DYNB144D

1400rpm Spin

· A+AA

DYNAMIC DYN8124D

• 1200rpm Spin Speed

· A+AB







WASHING MACHINES

4DB DYNa14 0 X DYNAMIC



- · Bkg Load
- 1400rpm Spin Speed
- KG Mode
- Time Manager Display
- Rapid 14 Minute Wash
- 3D Dynamic Wash System
- Variable Temperature
- Variable Spin
- 23hrs Deloy Stort
- Intelligent Wash System
- Sensitive Care
- Stain Bioster
- Eosy ron
- 85 x 60 x 54cm
- · Stylish Gloss Black Finish
- · A+AA

OPH7150

7KG

DPTIMA





- 1600rpm Spin Speed
- LED Digit Display with Countdown
- 29min Ropid Wash

• 7kg tood

- 44min Rapid Wash
- "K wash 59mins" Variable Spin
- 9hrs Delay Start
- Intelligent Wash System
- Sensitive Care
- 85 x 60 x 52cm
- White
- . A+AA



(not 1200rpm)

OPTIMA OPH714DF • 1400rpm Spin Speed

OPTIMA OPHS71ZDF

- 1200rpm Spin Speed
- Slimline 40cm depth
- A+AB

DPTIMA OPHS712B

• Gloss Black Finish



- 6kg Load
- 1600rpm Spin Speed
- 29min Ropid Wash
- 44min Rapid Wash
- A' Wash 59mins
- Vanable Spin
- Wash Phase Indicator
- 9hrs Delay Start
- Sensitive Care
- 85 x 60 x 52cm
- White
- · A+AA



(not 1200rpm)

DPTIMA OPH614/2

• 1400rpm

DPTIMA OPHS612

- 1200rpm Spin Speed
- Slimline 40cm depth
- · A+AB

4 HNTE O Ů. DADER HOP


0 -



- 6kg Load
- 1400rpm Spin Speed
- Daily 29min at 40°C
- Variable Spin
- Countdown Display
- Time Saver
- 9hr Delay Start
- Inteiligent Wash System
- 'AA' at 40°C
- · Fost from
- 85 x 40 x 60cm
- White
- · A+AA







LANGE CRITER

Dynamic & VisionHD Washer Dryers

processor and configuration and the configuration of the configuration o

for Dynamic I amount of the Physical and the province of State of

have making maki

Auto Sensor Drying

Laborate (i.e., a bodies) is a bounded by the bodies of the processor (i.e., a constitution of the constitution of the processor (i.e., a constitution of the constitution

Energy Efficient



WASHER DRYERS

DYNAMIC 9+6 WDYN9666P



- 9kg Wash / 6kg Dry
- 1600cpm Spin
- Super Silent (not 1400rpm)
- KG Mode
- Sensor Dry
- Time Manager Display
- Rapid 14 Minute Wash
- Rapid 59 Minute Wash & Dry
- 3D Dynamic Wash System
- Variable Temperature
- Variable Spin
- · 23hrs Delay Start
- Sensitive Core
- Stain Blaster
- Fost Iron
- 85 x 60 x 60cm
- White
- BAA



DYNAMIC 9+6 WDYN9646

- 1400rpm Spin
- NAM.

DYNAMIC 8+5 WDYN856D



- * 8kg Wosh / 5kg Dry
- 1600rpm 5pm
- KG Mode
- Sensor Dry
- Time Manager Display
- Rapid 14 Minute Wash
- Rapid 59 Minute Wash & Dry
- 3D Dynamic Wash System
- Variable Temperature
- Variable Spin
- 23hrs Deloy Start
- · Sensitive Care
- Stoin Blaster
- Fast Iron
- 85 x 60 x 54cm
- White
- AAA



- 8kg Wosh / 5kg Dry
- 1400rpm Spin
- KG Mode
- Sensor Dry
- Time Manager Display
- Rapid 14 Minute Wash
- Rapid 59 Minute Wash & Dry
- 3D Dynamic Wash System
- Variable Temperature
- Variable Spin
- 23hrs Delay Start
- Sensitive Care
- Storn Blaster
- Fost Iron
- 85 x 60 x 54cm
- . Stylish Gloss Black Finish
- BAA



DYNAMIC 8+5 WDYN854D

• 1400rpm Spiri

VISIONHD 6+5 VHW656D



- 6kg Wosh / 5kg Dry
- 1600rpm Spin
- KG Mode
- Sensor Dry
- · Time Manager Disp by
- Rapid 14 Minute Wash
- Rapid 59 Minute Wash & Dry
- Kapia 37 Millate Wasii & Di
- 3D Dynamic Wash System
- Variable Temperature
- Vanable Spin
- · 23hrs De ay Start
- Sensitive Care
- Stoin Blaster
- Fost Iron
- 85 x 60 x 54cm
- White
- · BAA



VISIONHO 6+5KG VHW654D

• 1400rpm Spin

DYNAMIC 6+5KB WDYNS654D

- 1400rpm Spin
- Slimline 44cm depth





-

BENAMIC SUMBLE DIVINE

III Byroums han by the County of the process of the

AquaVision

In a position of the turning in a remainder the form of the second or the second of the turning in a remainder the second of the second of the turning in a remainder the second of the

Relax Programme

Through the state of the district system produced by a district section of the state of the stat

Shirts Programme

without fabric. By simply selecting the fabric type that becking the selection of the section of

Rapid Programme

the last window was a figure of the part of the con-

Mix and Dry Programme

The party places places deli made communication production and pro

Sensor Dry

Tis reached.

'B' Energy

which is our highest energy rating available

Timed Drying Cycles

Fast Iron/Anti-Crease Cycle

hay hay been alled a market and harking the marking the market of the land of

Refresh Cycle

Tumbling of loundry in cool air to freshen up clothes

Delicate Wool Finish Cycle

those that have been stared in the wardrob.

Highly Efficient Reverse Action

them dry more quickly

'Filter Care' Indicator

save you time and electricity







13

ō

0

0

DYNAMIC

TUMBLE DRYERS

CONDENSER



- · 9kg Lood Capacity
- Glass Door
- AquaVision Reservoir
- 4 Sensor Dry Programmes
- · Delicate 'Woo: Finish' Cycle
- 23hrs Delay Stort
- . Time Countdown LED Display
- Timed Drying Options
- Rapid 40 Programme
- M.x & Dry Programme
- Shirts Programme
- Relax Programme
- · Fost Iron Programme
- Highly Efficient Reverse Action
- · 'Empty Water' Indicator
- 'F Iter Care' indicator
- 85 x 60 x 60cm
- White
- B





- 8kg Load Capacity
- Glass Door

20

DYCBB13

DYNAMIC

AQUA

DYNAMIC

DYC88I3B

· 8kg Load Capacity

- AquaVision Reservoir
- 4 Sensor Dry Programmes
- Delicate 'Woo! Finish' Cycle
- 23hrs Delay Start
- Time Countdown LED Display
- Timed Drying Options
- Rapid 40 Programme
- · Mix & Dry Programme
- Shirts Programme
- Relax Programme
- · Fast iron Programme
- · Highly Efficient Reverse Action
- 'Empty Water' Indicator
- 'Filter Care' Indicator
 - 85 x 60 x 60cm
 - Stylish Gloss Black Finish
 - B

CONDENSER



- 9kg Load Capacity
- Glass Door
- 4 Sensor Dry Programmes
- Delicate Option
- · 9hrs De by Start
- up to 150 Minutes Timed Drying
- Retresh Programme
- Rapid 40 Programme
- · Relax Programme
- · Woor Firsh Programme
- . Highly Ettic ent Reverse Action
- Empty Water' Indicator
- Filter Care' Indicator
- Floor Leve Condenser Reservoir
- 85 x 60 x 60cm
- White
- B

CONDENSER



- 8kg Load Capacity
- Glass Door
- 4 Sensor Dry Programmes
- Delicate Option
- 9hrs Dalay Start
- · Up to 150 Minutes Timed Drying
- Retresh Programme
- Ropid 40 Programme
- Relax Programme
- Wool Rnish Programme
- · Highly Efficient Reverse Action
- · 'Empty Water' Indicator
- Filter Care' indicator
- Floor Leve Condenser Reservoir
- 85 x 60 x 60cm
- White
- 🏨

28



ARUA





910

VISIONHD

TUMBLE DRYERS

VENTED

saroli (i)

- . 8kg Lood Capacity
- Glass Door
- 4 Sensor Dry Programmes
- De cate 'Wooi Frish' Cycle
- 23hrs Delay Start
- Time Countdown LED Display
- Timed Dry ng Options
- M x & Dry Programme
- Shirts Programme
- · Relax Programme
- Rapid 40 Programme
- Fost ron Programme
- · Highly Efficient Reverse Action
- · 'Filter Care' indicator
- Free Vent Hose Supplied
- 85 x 60 x 60cm
- White
- * C

CONDENSER




- 8kg Load Capacity
- 4 Sensor Dry Programmes
- Up to 150 mins Timed Drying
- Delicates Option
- 9hrs Delay Start
- · 'Fast Iron' Cycle
- · Refresh Programme
- Rapid 40 Programme
- Relax Programme
- · Wool Finish Programme
- Highly Efficient Reverse Action
- · 'Empty Water' Indicator
- 'Filter Care' Indicator
- Floor Level Condenser Reservoir
- 85 x 60 x 60cm
- White
- * C

VENTED



- 8kg Load Capacity
- 4 Sensor Dry Programmes
- Up to 150 mins Timed Drying
- Del cates Option
- 9hrs Delay Start
- · Refresh Programme
- Rapid 40 Programme
- Reiax Programme
- · Woo Finish Programme
- Highly Efficient Reverse Action
- 'Filter Care' Indicator
- Free Vent Hose Supplied
- 85 x 60 x 60cm
- White
- + C







--

DISTURBED

15 Place Settings

2 place setting dishwashers

Interiore and the scalar has appeared by the leaded quickly and equilibrium to be leaded quickly and equilibrium to be placed to be leaded quickly and equilibrium to be provided to be setting that also accommodate large pots and pans easily

3D Dynamic

Didishwasher offer I maximum performents and unbestable commissions for temporary to the initial property of the second of the s

13 Litres Water Consumption

filtered in the second second

LED Phase Indicator

The group of the plants of the particle of the

Delay Start

cheaper-rate electricity tariffs

Easy Adjust Basket

The height of the upper basket can be adjusted easily to allow larger plates to be stored in it

Super Eco Button

This option unobles is forther 25% requested to analysis.

5 in 1 Button

4 in 1 or 5 in 1 toblets

Hygiene + Cycle

The wash and rinse phases

Safe Stop Baskets

the basket full of crockery.

29min Rapid Wash

Rapid 29 minute wash for those slightly dirty items





FULL SIZE DISHWASHERS

DYNAMIC 3D IS PLACE DDYOBST



- 15 Place Settings
- 3 Drawers
- LED Programme Status
- 12 Programmes
- 6 Temperatures
- 23hrs Delay Start
- Super ECO button
- 5 in 1 Tablet Button
- · Sait Ref I indicator
- Adjustable Upper Basket
- XL Upper Basket
- XXI. Lawer Basket
- 29min Rapid Wash
- 85 x 60 x 60cm
- White
- * A+AA



- 15 Place Settings
- 3 Drawers
- LED Programme Status
- 2 Programmes
- 6 Temperatures
- 9hrs Delay Start
- Super ECO button
- 5 in 1 Table! Button
- Solt Ret Indicator
- Ad ustable upper Basket
- X. Upper Bosket
- XX. Lower Basket
- 29m n Rapid Wash
- 85 x 60 x 60cm
- Stylish Gloss Black Frish
- · AAA



- 12 Place Settings
- 2 Programmes
- 6 Temperatures
- 3-6-9hrs Start De ay
- De cate Cycle
- Intensive Cycle
- Rapid Wash option.
- · Salt Refill Indicator
- Ad ustable upper Bosket
- XL Jpper Basket
- 85 x 60 x 60cm
- While
- 0.00





SLIMLINE DISHWASHERS

SLIMLINE TO PLACE HEOSTOBBBL



- 10 Place Settings
- Multi-function Digit Display
- 7 Programmes
- 4 Temperatures
- 24hrs Stort Delay
- Delicate Cycle
- Intensive Cycle
- Ropid Wash Option
- Salt Refill Indicator
- Adjustable Upper Basket
- 85 x 45 x 60cm
- Stylish Gloss Black Finish
- · AAA

SLIMLINE 10 PLACE HEDSIOSBX




- 10 Place Settings
- ◆ LED Programme Status
- 6 Programmes
- 4 Temperatures
- Delicote Cycle
- Intensive Cycle
- Ropid Wash Option
- Salt Refill Indicator
- · Adjustable Upper Basket
- 85 x 45 x 60cm
- Satin Silver
- + AAA

SLIMLINE 10 PLACE HEDS1064



- 10 Place Settings
- LED Programme Status
- 6 Programmes
- 4 Temperatures
- Delicate Cycle
- Intensive Cycle
- Rapid Wash Option
- Salt Refill Indicator
- Adjustable Upper Basket
- 85 x 45 x 60cm
- White
- AAA





AND GO PROPERTY

poday tree meet to enough the month of the increasing focus on healthy eating and 5-3-day druit challeng consumptions he have redesigned our fridations focus of the inflate the increasing focus of the inflate the increase increases the inflate to an expense of the inflate the increase increases the inflate to an expense of the inflate the increase increases the increase increases the increases the increase increases the increases the increase increase increases the increase increase increases the increase increases in increase increases in increase increases in increase increase increase increases in increase increases in increase increases in increase increase increases in increase increase increases in increase increases in increase increases in increase in increase increases in increase in increase in increase increases in increase in incr

from midge treezen har packed with temovarine high rechnology features designed to give you made the life of your made and to make life a whole lot easier.

Frost Free

interior so there's no need for defrosting

Stay Fresh Zone

The substitution of the second second

XL Bottle Storage

And the second s

XL Fruit & Veg Storage

The second secon

Glass Shelves with Chrome Highlights

statement

A Energy Efficiency

Door Depth

--

Market Army and the control of the c



PRINCIP PRINCIPA

Versatile Door Storage with Chrome Highlights

style and quality

Easy Clean Removable Door Seal

Include the state of the state

Transparent Freezer Drawers

Total Inches But all and part of the part

Dairy Compartment

Cycle Comments of the Comments

Designer Internal Aesthetics

- Iven J. I suring a surinition in a leasurement of the following in the suring and the suring a









HOOVER DYNAMIC FRIDGE FREEZERS

HOOVER OYNAMIC HNC6200



- 208L Net Capacity Endge
- . 89L Net Capacity Freezer
- Frost Free
- 4 Transparent Freezer Drawers
- Gross Shelves
- nterior Chrome Finishes
- White (HNC6200W) or Aluminium (HNC6200A) Fnish
- A Energy Efficiency
- 200 x 60 x 60cm



- 50/50 split
- 170L Net Capacity Endge
- 89L Net Capacity Freezer
- Frost Free
- 4 Transparent Freezer Drowers
- Glass Shelves
- nterior Chrome fin shes
- White (HNC6185W4) or Aluminium HNC6185A4
- 185 x 60 x 60cm

HODVER DYNAMIC HNCS174



- 50/50 split
- 156L Net Copacity Endge
- 81t Net Copacity Freezer
- Frost Free
- 4 Transparent Freezer Drawers
- Glass Shelves
- Interior Chrome Finishes
- White (HNC5174W) or Aluminium (HNC5174A) Finish
- · A Energy Efficiency
- 172 5 x 54 5 x 60cm







54CM FRIDGE FREEZERS

HNCS143W



- 50/50 spirt
- 122L Net Capacity Fridge
- 62L Net Capacity Freezer
- Frost Free
- 3 Transparent Freezer Drawers
- Gloss Shelves
- Inter or Chrome Finishes
- White
- A Energy Efficiency
- 141 x 54.5 x 60cm

HSTEI43W



- 171L Net Capacity Fridge
- 411 Net Copocity Freezer
- Freezing Capacity 2 5kg
- Glass Shelves
- Interior Chrome Finishes
- White
- · A Energy Efficiency
- * 141 x 54.5 x 60cm

HSL5143W



- Tal Larder
- 227L Net Copocity Fridge
- Glass Sheives
- Interior Chrome Finishes
- While
- A Energy Efficiency
- 141 x 54 5 x 60cm

HSFS143



- Tall Freezer
- 160L Net Capacity Freezer
- 6 Transparent Freezer Drawers
- Freezing Capacity ókg
- White
- A Energy Efficiency
- 141 x 54 5 x 60cm







UNDER COUNTER LARDERS & FREEZERS

HFLES485AW



- Lorder Fridge
- 128L Net Copacity Fridge
- 55cm Width
- Fresh interno Aesthetics
- Styl sed Transparent Commodity Rocks
- Spill Resistant Glass Sheives
- Adjustable Thermostat
- White
- A Energy Efficiency
- 83 x 55 x 58cm

HF0E5485V



- Refrigerator
- 103L Net Copocity Endge
- 15L Net Copacity Freezer
- 55cm Width
- Fresh Internal Aesthelics
- Stylised Transparent Commodity Rocks
- Spilt Resistant Glass Shelves
- Adjustable Thermostat
- 4* Freezer Compartment
- White
- A Energy Efficiency
- 83 x 55 x 58cm

HFZES485W



- · Lorder Freezer
- 85L Net Capacity Freezer
- 55cm Width
- Fresh Interna Aesthetics
- Transparent Freezer Drawers
- 4º Freezer
- White
- · A Energy Efficiency
- 83 x 55 x 58cm









LAUN	DRY	T-Chicago		
	-	Louis I		
<u>)</u>				- 3
Heil				

ELT FENTONES	-			
Spin Speed (rpm)	800	400	4-10	4)वी
What toud (hgt)	10	IØ	ΙΦ	10)
Securi il unicano	V	V		
all Dynamic Wesh system	V	46	W.	V
KG Mode ICD Copker	- 4	V	<i>V</i>	<u>v</u>
Time Haruger Display	V	V		b ²
Соволясни рария	V	v	V	6,01
Wint Fhase Indicator	V	V	~	V
Variable aput Spani	V	V	v	V.
Karradie Semperature	W.	4	V	V
Delay start(lins)	or (up to c ≥	₩(spt to co	W 40 (0 al)	₩ (up to 23)
Super altr	V	V	4	42
briefligen) West system	V	4	4	V
Auto oud entrel	V	7	V	4
Pre wars	V	4	V	4/
THOUGHT		_		1
Dange Browley Wash terformune	A A) I	A A	Á
ibi ii it equalitice	1	1	ń.	6
ALTION OUTTONS			-	
(E) July	V	V	V	40
Wash into	V.	V	V	4
Delay -rais	4	V	10"	V
inears function	N,	N.	~	
Felgerycer (Jean) Oplite	V.	Ü		
Mirks II Day Dobon	V	V		4
мудния Приял	V	V	-	-
rent his 186	V	V	100	4
Fair Ros	UP.	V.	V	· · ·
Lift's Street	V.	·V	V	V'
Temperature relection		- /	u)	W
RISCHARIN		_		
Rapid of Months	V	4	V	1
Rapid 29 Marin	(10)	W (16)	₩ FDI	₩ 301
August 44 Menusts	N°	4	V	62
Cotese (Lobserfait)	₩'	100	V	V
letter "Lolaurlant)	V	V	~	4
.eigen: (Ron-lett)	V	U ²	U.	V
Symillerics	V		100	4"
Anvies	v	V .	· ·	V
Weol	V	V.	V	67
Millo Handscark	V	7	7	4
FOUNDATION .		_	_	_
.glaur	What	Whelp	White	Minne
Mater	Imelaler	Investor	faverhe	Tenerior
Everyy Consumption				
(FWh/rycle-wash))	3		t e
Banks Energy columbion	.40	3.00	360	542
Water Compropises (hiter/nycle-watch)	74	74	76	76
Manthula Cantala				
after spin (% dry Hod) Cold fall	44	50	30	- 50
Cold fall	V	4		V
Starfes Spel Dram	230	230	236	236
Hohage (V)	2500	730 200	239	3560
Nated Warrage (W)	2500	258V 84	2590	3994
Weight pucked (kgs) Weight supacked (kgs)	IR	83	H.	87
Dumperions packed	at .	40		
(HuNfaD om)	19 : 45 : 69	37 1 65 1 67	Mr 65 x 68	Mr. 63 x 49
Chines to un independing	83 + 69 + 643	81160144	95 - 50 - 64 5	81.40.64.5
Order code	10539P	1003.	05 x 60 x 64 5 1003 rai?	1003644
Bas ade	801636189775A	8014341804824		301 ATEABOATA

Ľ.							- ,						_		
	- A				a jega			il il il	all a		Held, N.		A STATE		
		22	Update:	Opening 1	- Spinster	- Japanese	An alle		-	198817	Contract of the	704 - 13º		THE LOCAL	
FETTINES.									- 14						
h-Bry and agr)	400	400	100 9	8	4v 8	402 1	'0. E	1900	4)0	1,410	-20	:65U	(40) 8	10.	406
ran privite	3	-	,	0		•			,		-		0	_	-0
Dynamic Wash system	~	V	V	4	V	~	V								
Mode	~	4	4	V	N.	V	V								
e Hacager Display	Ø.	e/	V	4	V	V .	4		4	4	4				_
nuddwn Onplay ni Phase Indicator	~	~	4	4	W.	V	W	V	~	4	V V	v.	~	V	-
able ipin ipind	0	· ·	V	954	V	V	V	v	U	~	~	V	v	V	v
sable Temperature	V	V	V [h,		V	[V _	-	1	-	1		<u> 2 - J</u>		<u> </u>
iy na likr	es, Inbut 14	1000元	V (up to all)	₩ (sg to zl)	₩ (up 01 . l)	√{up (o] (1)	₩ (4up (623)	■ (ab to 4,	V 39 10 25	49 lbcr	₩ (up m?3)	№ (op to 9)	★ [Mama]	er (up to P)	er ∤up
er olest	10°	- 4		-4			-1	-4	-4	-4	-4		-/	-4	
liggent Wash Tyrhens Load Delest	7	V	4	4	V	V	V	V	~	4	4	V	V	V	-
wasy	v	V	~	V	~	V	V	V	V	· ·	V	V	V	V	-
TORMANCE															
rg Howas	À	À	À	i.	Á	A	Ä	à	Å	Á	4	Á	À	λ	À
h Performance	1	A	A	A	A	, A	1	1	h .	A	A	À	, A	1	I
one of Estembles	1	Á	I.	A			ı	1	í.	R	В	λ	À	1	1
Hause	V	V	V	~	V	V	~	V	V	*	4	~	V		¥
h ing	~	7		-	W	V	V								
by state	V	V	· ·	4,0"	V	V	V	V	100	w.	4	b*	V	V	V
letine 6.8FB	W.	u ^r	64	V	4	V	V	V		4_	- 4	V		V	
n Haune	- V	V.		4		V		4	~						
F 12/107			1.4	, a		,,,									V
t trom te li Day	P,	v	V	- AP	*	V	V								
garatuse Selection	V	V	V	V	4	V	V								-
Selection	V	V	4	V	V	V	V	V	V	~	· ·	be.	w	4	V
t Whith								V	V	V	V	V	V	V	
GAANNES															
of 59 Mayor Water & Day															
id of Moute	Let chife	60°	600	ef-	B**	V	Market Laterian								
pió 29 Herrete pul 44 Herrete	4º (30)	10° (30)	V (10)	V (10)	V 101	(P 0)	V(10)	V	V	4	V	<i>V</i>	W.	V	V
des comes at 60°C		-		7	V	V	V	-	~	4	7	V	V	V	
tubi Plembili	V	V	4	U.	V	V	V	V	V	V	M.	V	V	V	V
tore (okustast)	V.	U.	V	V	v'	V	V	V	V	V	V	V	V	V.	- 4
tons (Non-tact)								~	₩.	4	V	b ^y	V	100	· V
rel .	V	4	W.												
gistics	b ^a	~	· ·	4	-	4		V		4	V	M ^e	4	V	
997 (298)	V*	V	v	40	V	V	V	V	V	4	ν	V	V	V	V
3	· ·	· ·	~	~	V	V	V	V	U.	~	V	V	6"	V	
Nardvath	-	V	4	0	V	V	~	V	7	-	-	10"	V	V	
Th.	4	4	~	4	V	V	V	6	65	V	V	~	V	V	96
evels of Season Bryont															
med Dayling (mins)															
TISK ATION	Wh-Jr	Winte	Kub	Water	3liga	Wh. or	7/1. 14	White	White	40atr	Made	Write	W-ra	WF o	Wh
jik.	Imended.	Digitally	Diginally	Digatally	Depitally	Dogitally	Digitally	Digliphy	Digitally	bigitally	Digitally	Digraphy	Digitally	Begitally	Pyli
	1111	centralied	Controlled	rentralled	ontraffed	consoying	ontrolled	awingled	Controlled	-ontroller	Eentrolled	pairsHed	patrolaed	ortioled	Carrie
rgy Conscription N/cycle-scult)	1,81	(,1)	UT	1.56	134	.36	:34	1,402	1.02	1,02	1,02	1,01	133	1.07	4
rgy Consumption	*87	4187	4177	1100	1077	1,570	109	India.	1405	*(8)	*184	*1944	144	Intil	-
fit/syche-wash and dry	-	-	-	m.			-	-	-	-	-	-	-	-	-
uit Erengy Contumption	234	234	234	272	273	277	m	264	784	204	104	204	794	204	20
er (romunistian er/cycle-wash)	18	(3	61	60	60	44	40	35	55	55	55	45	46	65	51
er Comunation															
at (A tyle with way was and qual)	-	-	-	-	-		-	-	-		-	-	-	-	-
oure Consens Spin (% dry icas)	Щ	50	5	44	10	10	55	- 01	50	5>	a):	44	50	53	a.
Intl	~	4	V	W.	V	w	V	~	V	4	4	V	6"	10°	V
New Jeel Down	V	V	4	65	b ^r	V	V	V	V	4	N.	10°	V	~	V
2ge (V)	210	234	210	130	230	210	530	210	234	130	239	230	510	230	21
of Water (W)	2400	2400	2600	2150	2200	2150	2150	2050	2150	2150	2150	21,50	2150	2150	315
ght passed (lgp)	79 71	79	79 77	74 17	74	77	7(76 72	74	14 12	14 Tr	73 44	73 48	71 58	. 31
Epi nathacked (p.E.)	0	0	29	н	н	17	12	а	a	12	н	60	el	p6	56.
MixD cos)	# 169 e 86	89±65±66	17 x 65 x 88	B:65:60	89 x 45 x 58	EP = 45 ± 56	(9 ± 65 ± 58	39 x 65 x 56	79×65×58	89 x 65 x 45	Bx6x6	89 ± 67 ± 38	10 x 47 x 56	19:19:15	20 ± 41
essions a spacinal WxD cos)															E 2 40
Skill red)	Babbabl	35±60±60	85 x 60 x 60	Baltasi	IS+10×35	85 ± 80 ± 54	RS = (40 ± 54)	85 ± 60 ± 52	記上的エロ	25 x 50 x 40	13 x 60 x 49	B5 x 60 x 52	数1個1音	IS:40:40	

		1
700	-	46

WASHER DRYERS											
Type Model Ka Model Ka	Worker Style INSTRUMENTS Dynamic T++4	Marine Dryer WO'NGAS Sycanic 7 + 6	Water from WITNISH Syunic 8 - 5	Water Style WORKE, CS Speaker S+1	Water Trye MITMATO System 2 = 5	Window Styler MOTEOLOGY Symmet 6+5	Washer Dryer VHW6560 VisionED 6+5	Walter Dryer FEW6540 VacantO 6+5			
REY CLATURÉS											
Spin Speed (rpm)	1400	148	160	188	160	1600	1901	1400			
Wastellry Load (hyp)	1+1	7+6	1+5	3+5	8+3	6+3	8+5	6+5			
Sensor Drying	V	4	4	V	V	V	4	10"			
30 Dynamic Wash System	V	N.	4	V	V	4	4	V			
RG Mode	- 4	w.	4	V	V	4	¥	V			
Time Manager Display	V	4	4	V	V	V	4	V			
Countries Display	~	o,	v'	~	V	4	4	V			
Mast Phase Indicator		-	-			-	-				
Yanable Spin Speed Yanable Temperature	7	4	4	V	V	4	<i>y</i>	V			
Delay Sture(hrs)	✓ Jup to [1])	₩ (sq to 25)	of (sq 11 ≥2)	or jup to 20)	√ (so in 23)	₩ hpm lift	1 (up to 21)	(ap to 23)			
Super Silent	A inharm	e interval	· interior	- Marri	A thin man	a (district)	& lekars)	a fakasant			
bindlegent Wash System	V		v	V	V	V	V	V			
Anto (nad (britis)	V	~	V	V	*	v	·	V			
Pin-wara	V	V	V	V	V	V	· /	V			
PLEGUMANCE											
Energy Efficiency	A	A	Ä	+	- 1	- 1	- 1	1			
Wash Performance	1	l.	1	1	1	1	A	1			
Spin Drying Perhamance	1	A	1	A	A	A	A	1			
sa rojjar da fridags											
Turu/Paux	V	4	V	16'	V	V	V	V			
Wash Time	V.	4	V	4	V	V	- 4	V			
Delay Fram	V.	4	4	V	V	V	¥	V			
Senutro Cura	V	10"	V	V	V	V	4	V			
Sum flauter	V	V	V	V	V	V	V	V			
Timu Salver	-	-	-	+	-		-	-			
Fait from	P/	W.	-	-		-					
Highs & Day	0	w		-			~	-			
Resperatore Relection	V	U.	V	1/2	V	V	4	V			
Spice Selection	V	4	W	- 4	- 10	-	- V	4			
Cold Whali			- 10	**	50	-	- 4	V			
- a titliffly jand r				-	-	_					
Rapid 59 Hinute Wash & Dry Rapid 64 Hinute	V	4	V	V	¥	<i>V</i>	4	V			
Rapid 79 History	e* (10)	¥ 805	V (30)	V (10)	× (36)	¥100	V.	V			
Rapid 44 Minute	A (10)	A (36)	4	V (m)	V 300	V (10)	-	v			
A Wash 54 mas at 40°C	V	-	10"	V	-	V	V	V			
Copper + Prevent	-	-	-	4	-	V	V	V			
Coloom (Colosefait)	V	·	-	~	V	-		-			
Corrorn (Non-fast)	-	V	-	V	V	-	V	V			
Equel	V	4	-	-		-	-	-			
Synthetics	~	-	w.	V	V	~	V	V			
Rerylies	-		-		-	-	· ·	V			
Delicates	· ·	~	V.	V	V	- 4	V	V			
Who?	V	V	4	u/	V	-	¥	V			
SillyHandwayt.	· V	1/	V'	92	V	W	- V*	V			
Specia	V	67	*	4	V	4	4	V			
3 Gords of Terrair Drying	V	- 4	V	· V	1/	~	. 0	4			
Total Gryang (early)	120	(2)	.09	129	130	109	120	133			
sistinstration											
Colout	Mr -3	Witte	Ship	lick	This	Wite	White	White			
Mone Energy Conjumption	Inector	Digitally (invalid	Registly Eastwaled	Rigitally Controlled	Digitally Emiraled	Digitally (accorded	Digitally Controlled	Dispitally Controlled			
Cond. Commodition (page form with) Exectly contribution	153	157	1.36	1.36	136	134	104	1.14			
(Whiteycle-wash and dry) Romal Energy Communication	A.12 386	412	5.64	5.M 202	5.40	4.86 228	4.84 228	4.86			
Water Consumption			424	474	EIE	608	106	12.0			
(Intros/cycle-wash) Water Consumption	At	- 6	10	66	-81	-45	- 6	-6			
(kitelyycle wash and dry) Roisture Content	136	(H)	115	85	115	133	135	133			
after Igin (% dry load)	- 6	6	-45	- 6	-6	46	- 6	45			
Cold file	₩ ²	W	W	W	W.	10"	W	4			
Stateber: Smel Drops	V	W.	V	4"	V	V	W.,	- 4			
Voltage (V)	220-240	229-240	220-240	220-240	220-240	220-240	220-249	220-240			
Razed Wastage (W)	2151	200	2550	2150	2/50	2550	2150	260			
Weglin packed (hgs)	79	79	77	70	10	- 46	Ø3	67.5			
Weight impacked (kgs)	77	77	- 15		48	M	653	65.5			
Dimensions parked (HeWaD cm)	Wx6x6	#Fx 65 x 65	#16x6	D1620	@x65x6	#16:0	#16±0	89 z 65 t 66			
Dimensions ungacked (HuWaD cm)	(5 x (0 x (0)	81010	15 × 61 × 51	(5×60×51	6x0x0	B:014	45 : 40 : 54	15 : 60 : 54			
Order Code	31003590	31002591	31003585	31003586	31003384	31003780	31002491	3003485			
flar Code	1015361114066	90(6)(19)4(9)	MENINERA	MOLESTER STATE OF	BOLESHIRHSE)	UDI636181PEZS	3016361717628	(0)163612(763)			

la la	Gedeur Seus	Continue Secur	lates less	Color inco	Contract Secure	Continue	Bookins	head /
	Dy Dietoric	By Diction	Dy Georgia	Sty Discount	By Diction	Seem By	Dry Dictronic	
Model No	010908	2008/08	DOSESTIME.	BORE	100,00	ncar	VIII	THYARK
Hodel Name	Syramic	Deans	Syrunic	Total	Trients	Sout?	Total (C	Visualità
KFY FEATURES	_	_	_	_			_	_
Load (kgs)	-	8	1	3	E	ě	8	£
AquaYesion Sensor Dry Syssem	₽'(up to 4)	◆ (up to 4)	₩(100 to 6)	Vigne	✓ (op to 4)	≥'(sp rs-4)	₩ (up to 4)	₽ (up 10 4)
Dulay Start (Nrs)	V(10) 10 (5)	Vice to 231	with mills	N(6/5)	√ (\$.0)	₩(6/7)	₩ (100 to 23)	V(6/9)
LED Display	N (10) (10 (3)	N July in sol	A (d) ID LE	F(61)	W 1007)	D 10/11	A (c) as (c)	P. (0).23
Countdown Display	V	V	V	-			·	-
Reverse Drying Action	-	V	V	V	V	V	4	~
Floor Level Condense Reservoir	n/a	1/1	n5	~	V	v	n/a	nřa
Glass Door	V	V	V	V	V	-	V	- 10
Luge door for easy spening	/	V	V	V	1	V	V	V
EDMANDIA P								
Energy Efficiency OFFICH KILLIONS	1	- 1	-		,	- ((
On/Off	V	V	V	~	V	4	4	V
icrolles	- 4	V.	V	w.	V	~	· V	V
Delay Stars	V	V	V	4	4	V	V	V
Acrylic/Symphonic (Low heat)	V		4	~	4	V	V	V
Herno Option	V	~	4	-	-	-	4	-
Empty Water Indicator	~	4	· ·	V	V	V	n/a	n/a
Filter Eary Indicases	V	v'	*	~	V	V	4	V
PROGRAMMES							_	_
Levels of Senior Drying Delay State	- (4	4	- 4	4	- 6	4	4
Rand 40°	V	V	V	V	V	V	V	V
Julian	-	-	~	-			-	
Mix & Dry	-	V	-	-	-	-	-	
Wool Finish	V	-	~	-	-	V	- 4	V
Relay	V	-	V	V	V	V	-	V
East from	N.	V	~	-	100	V	-	-
Agfresh		-	-	· /	V	V	~	V
limed Drying (mins)	180	60	iii	150	158	150	100	130
Heat Sertings	2	1	2	2	1	2	2	1
SELECTION ALTERNATION AND ADMINISTRATION AND ADMINI								
Colour	Wite	Wite	Shrk	Wite	Wite	Win	With	Witz
Automatic safety door		V	W.	· ·	V	V	W.	4
laug (muason (Whyde-esh)	(4)	(4)	1.85	4,49	1.09	\$ 16	4.50	450
Annual Energy Consumption	281	281	28/	787	281	310	272	317
Voltage (V)	230	210	730	250	216	336	230	730
Rand Wanage (W)	2300	2100	3300	7500	2100	2300	2300	2300
Weight packed (kgs)	38	12	31	DB.	u	38	33	33
Weight unpacked (kgs)	36	34	36	36	3/6	36	31	31
Domensions packed (HarWicD cm)	W+6+42	91±65±67	10:15:17	90 x 83 x 42	90 i 65 i 62	90 a 65 a 62	90 c 65 x 67	90 ± 45 ± 42
Distrentions uspacked (KaWuD (m)	85 : 40 : 40	8) = 40 = 60	35 × 60 × 60	81616	83 x 60 x 60	B3 = 6D = 6D	85 1 60 1 60	85 x 60 x 60
Moise Level (dBa)	. 46	47	10	0	67	- 12	. 0	47
Order Code	37/00147	11100370	31/00191	1/100397	7/100396	1/100385	3/10/3399	31100398
Bar Code	0016361829382	9014351919975	804881219399	magnut	MIGRINIS	\$316/61519-Q1	1016761019467	M1636181945



•







REFRIGE	RATIO)NC											
Type	tům řest free	blirm From From	60cm Frost Free	60cm Front Free	Ston Front Fron	54cm Front From	54cm Front Fron		Tell Lorder	Tell Freeze	Undertouster	Undercounter	Undercounter
Hodel No	HNCEZUDA	1 N. (V. 0. W	HNCOTESAN	#NC4125W4	HNC5174A	CHNG174#	HNISTASW	HSTST4DW	H5L5145W	HSF5143W	TO LESSAN	MF0E3485W	HIZESHESW
Hodel Name	Dynask	Dynamic	Dynamic	Dynamic	Dynamić	Dynamic	Dynamic	Cymanii	Dynamic	Dynamir			
ARIDÓE													
Dehos 5918"	Aula	Auto	Auto	Auto	Autn	Asto	Auto	Auto	ňuln	-	Auto	Aulo	~
II Fran B Vag Steege	4	55"		-	8	*_	-	-	×	*	*	-	-
Solad Crisper	-	-	V	~	V	V	~	V	4	-	V	V	-
XL Bottle Storage	V.	V	V	e/	4	4	V	~	-	-	-	-	~
Adjusteble Gen Shehres	2	2	1	3	7	2		3	-1	-	2	1	~
Soled Cricer Shall	1	1	1	1	1	1	1	1	-1	~	1	1	~
Don Community Rocks	3	3	3	3	3	3	3	-6	5		3	3	-
Stay Fresh Zone	4	4	-	*	-	-	-	-	~	-	-	-	-
PREEZER		_					_	_					
Feore From	V	-	V	-	~	V	V	-	-	-	-	-	~
Transportant Freezes Deuwers	- 4	- 1	4	- 4	- 4	4	1	~	-	6	-	-	- 4
Femiling Coparity (kg/24kes)	- 4	- 4	4	- 1	- 4	- 4	16	7.5	-	13	~	191	6
Rising Time [hrs]	20	20	14	14	15	15	180	13	-	180	-	-	10
Sint Ration	- 3	4	4	4	- 1	- 4	- 4	4	-	4	~	- 4	- 6
REPORT OF THE PARTY OF THE PART													
Colour	Aunimian	White	Numinium	White	Alomoies	Write	White.	White	White	Wide	White	White	White
Full Length Door Jignidle	V	~	V	V	· ·	~	~	~	V		-	-	-
Adjustable Feet	V	4	V	V	V	~	~	V	V	V	V	V	~
CFE/HFC Frees	V	V	V.	~	V	V	V	V	V	V	V	V	V
SECHNICAL SPECIFICATION													
Energy Rating	λ	ń	ň	A	Á	Ä	Ä	À	Å	A	λ	λ	λ
Interpy Consumption (kWh/24hrs)	1.018	3.010	0.969	0.969	0.44	0.08	0.76	0.76	0.46	88,0	0.41	0.47	0.56
Annual Learny Consemption	377	172	354	350	321	321	285	777	164	241	TBC	150	212
Religeope Gos	R600	N600	R400	R600	R600	Rrido	Rrigo	R600	R600	R603	R100	RAOD	RIGHD
Noise (dBa)	47	47	-07	47	46	-46	- 46	44	- 44	46	45	46	-65
Total Gents Captuity (Litres)	309	309	274	274	256	758	199	718	246	195	166	153	115
Total Hat Capacity (Litres)	297	297	259	259	237	237	184	212	221	180	128	118	85
Feldge Gross (appoilty (Litrus)	209	306	174	174	160.5	184.5	120.9	174	227	-	-	133	-
Feldes Maj Canocity (Litres)	200	201	120	170	156	156	122	171	227	-	121	100	-
Ferenzus Genes Coperity (Litres)	100	100	100	100	91.5	91.5	69.5	42		195		20	300
Freezer Het Copycity (Ulinte)	- 10	16	D)	100	0).	01	42	41		100	-	15	ls
Weight (kg) (ptrked)	72	- 72	66	66	61	H	55	57	58	58	35	16	33
Weight (kg) (urporked)	711	70	62	62	SI	30	9	- 40	10	SI	37	32	12
Dimensions (FlaWxD) on [pocked]	205 = 54 = 54.5	205 x 64 x 64.5	191 164 r 645	191 4 64 4 64.5	179.5 x 36.5 x 42		146.5 1.50.5 1.63	140 x 57.5 x 43	140 1 57.5 1 60	140 x 57.5 x 43	40.5 x 5F x 60	IE5 157 1-40	M5157140
Dimensions (PlaWir)) on [pocked]	200 + 60 + 60	200 x 60 x 60	185 x 60 x 60	1914 64 1 6479		1725 545 60	141 = 54.5 = 60	141 x 54.5 x 59.5	141 1 545 2 59.5	140 x 54.5 x 59.5	83 x 55 x 50	E1 x 55 x 54	B2 x 55 x 58
Code Code	34001394	74001395	24001203	34001392	34001397	34003396	14001399		34001401			34003403	37010000
	2 02-01			The state of the s				04000098		37000301	34001402		10 1000 10
Bni (ode	0014061832307	4016361830374	8016361822350	80143618072340	0014361837390	00163618373k1	0016361832481	89 6361837494	0014361632435	0016361032459	8016387432463	9016361837477	0014361833447





GUARANTEE

Guarantee

All Hoover products are covered by a full call out, parts & labour guarantee for 12 months from the date of purchase.

As an additional service to all of our customers, Hoover also offers a FREE 5 year parts guarantee when you register your appliance, giving you additional protection.

To get the most out of your product and to register for your 5 year free parts guarantee please call 08444 810290 or complete our online registration form at www.hoover.co.uk.

Opening hours: Mon-Sun 8am-8pm.



www.hoover.co.uk

Extended Warranty

Hoover offers you the opportunity to extend the warranty of your appliance* for a further four years, giving you the peace of mind that comes from a nationwide network of genuine Hoover engineers.

The Hoover Service Plan gives you:

- Total protection for your electrical household appliance.
- Peace of mind against call out and labour bills.
- A brand new replacement if your appliance can not be repaired.
- Repairs by a nationwide network of genuine Hoover engineers.
- No limit to the number of claims.
- Renewable protection, normally for the life of your appliance.

For further details or to register your product please call 08444 810177.

Opening hours: Mon-Fri 8am-8pm.
Sat-Sun 10am-4pm.

"The appliance registration and extended warranties offered by Hoover are managed in partnership with Domestic and General (the leading specialist provider of breakdown protection in the UK).

After Sales Service

Service support of your Hoover product is important to us and that is why we employ our own nationwide network of dedicated Hoover engineers.

For detailed after sales support, please visit the after sales service section of www.hoover.co.uk which enables you to:

- · Book a service call
- · Use our problem solving guide
- · Find out handy hints & tips
- Register your guarantee
- Enquire about spare parts & accessories
- · Download instruction manuals

Contacts

To contact After Sales Service please call 08444 995599.

Mon-Fri 8.30am-6pm, Sat 9am-5pm, Sun 10am-4pm.



To ensure the best performance from your dishwasher you need top performing detergents, which is why HOOVER has tested and recommends Finish.





HOOVER Ltd. New Chester Rd, Bromborough, Wirral CH62 3PE www.hoover.co.uk www.candy-group.com

Hoover Policy is one of continuous development and accordingly we reserve the right to alter specification without notice. Note: Colours reproduced in this brochure may vary from the actual product due to the limitations of the printing process.

